



Safety Data Sheet

DISTANCE® Fire Ant Bait

1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: DISTANCE® Fire Ant Bait
EPA REGISTRATION NUMBER: 1021-1728-59639
VC NUMBER(S): 1392
SYNONYM(S): NYLAR Fire Ant Bait
PRODUCT DESCRIPTION: Insecticide
Distance is a registered trademark of Valent U.S.A. Corporation

MANUFACTURER/DISTRIBUTOR
VALENT U.S.A. CORPORATION
P.O. Box 8025
1600 Riviera Avenue, Suite 200
Walnut Creek, CA 94596-8025

EMERGENCY TELEPHONE NUMBERS
HEALTH EMERGENCY OR SPILL (24 hr):
(800) 892-0099
TRANSPORTATION (24 hr.): CHEMTREC
(800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION
AGRICULTURAL PRODUCTS: (800) 682-5368

The current SDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

For EPA FIFRA-specific information see Section 15

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Label elements

EMERGENCY OVERVIEW

Precautionary Statements - Prevention

Read product label prior to using this product. For specific handling instruction refer to Section 7, Handling and Storage

Precautionary Statements - Response

See Section 4, First Aid Measures

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 1

SDS NO.: 0223
REVISION DATE: 05/26/2015

Precautionary Statements - Storage

For information on Storage and Handling see Section 7.

Precautionary Statements - Disposal

For further information on product and container disposal see Section 13.

Hazards not otherwise classified (HNOC)**Other Information**

- Harmful to aquatic life
- Harmful to aquatic life with long lasting effects

For information on Transportation requirements see Section 14.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight/ Percent	TRADE SECRET
Pyriproxyfen	95737-68-1	0.5	
Others	No CAS#	99.5	

Other ingredients, which may be maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 892-0099** at any time.

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 892-0099

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-892-0099** for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

None

5. FIRE FIGHTING MEASURES

Flash point °F Not applicable
 FLASH POINT METHOD: Not applicable
 EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical
 FLAMMABLE LIMITS IN AIR - LOWER (%): Not applicable
 FLAMMABLE LIMITS IN AIR - UPPER (%): Not applicable

NFPA RATING:

Health: 1
 Flammability: 2
 Reactivity: 0
 Special: None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

HAZARDOUS DECOMPOSITION PRODUCTS: Normal combustion forms carbon dioxide, water vapor and may produce: Oxides of nitrogen. Incomplete combustion can produce carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable **EMERGENCY RESPONSE GUIDEBOOK NO.:** Not applicable

FOR SPILLS ON LAND:

CONTAINMENT: Reduce airborne dust. Avoid runoff into storm sewers or other bodies of water.

CLEANUP: Clean up spill immediately. Vacuum or sweep up material and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material will disperse or dissolve in water. Stop the source of the release. Contain and isolate to prevent further release into soil, surface water and ground water.

CLEANUP: Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Wear protective clothing and equipment when handling this product. Goggles or protective eyewear, gloves, long-sleeved shirt, long pants, socks and shoes are appropriate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

STORAGE:

Do not contaminate water, food or feed by storage or disposal. Keep in original container. Keep this product in its tightly closed original container when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. If operating conditions result in airborne concentrations of this material, the use of an approved respirator is recommended.

SKIN & HAND PROTECTION: Avoid contact with skin or clothing. Skin contact can be minimized by wearing protective clothing including gloves.

EXPOSURE LIMITS

Chemical Name	ACGIH Exposure Limits	OSHA Exposure Limits	Manufacturer's Exposure Limits
Pyriproxyfen	None	None	None
Others	Not known	Not known	Not known

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid	Odor	Mild Soybean oil odor
Appearance	Flakes (corn grits)	Odor threshold	No information available
Color	Golden		

<u>PROPERTIES</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point/freezing point	No information available	
Boiling point/boiling range	No information available	
Flash point	Not applicable	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limits	Not applicable	
Lower flammability limit	Not applicable	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	No information available	
Water solubility	No information available	

Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Density	No information available
Bulk density	20 lb/ft ³

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Oral Toxicity LD ₅₀ (rats)	>5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD ₅₀ (rabbits)	>2000 mg/kg	EPA Tox Category	III
Inhalation Toxicity LC ₅₀ (rats)	Minimally toxic	EPA Tox Category	IV
Eye Irritation (rabbits)	Brief and/or minor irritation	EPA Tox Category	III
Skin Irritation (rabbits)	Non-irritating	EPA Tox Category	IV
Skin Sensitization (guinea pigs)	Non-sensitizer	EPA Tox Category	Not applicable

CARCINOGEN CLASSIFICATION

Chemical Name	IARC	OSHA - Select Carcinogens	NTP Carcinogen List
Pyriproxyfen	Not listed	Not listed	Not listed
Others	Not Known	Not listed	Not known

TOXICITY OF PYRIPROXYFEN TECHNICAL

SUBCHRONIC: Subchronic oral toxicity studies conducted with Pyriproxyfen Technical in the rat, mouse and dog indicate a low level of toxicity. Effects observed at high dose levels consisted primarily of decreased body weight; increased liver weights; histopathological changes in the liver and kidney; decreased red blood cell counts, hemoglobin and hematocrit; altered blood chemistry parameters; and, at 5000 and 10000 ppm in mice, a decrease in survival rates. The NOELs from these studies were 1000 ppm (149.4 mg/kg/day) in mice, 100 mg/kg/day in dogs and 400 ppm (23.5 mg/kg/day) in rats. In a 4 week inhalation study of Pyriproxyfen Technical in rats, decreased body weight and increased water consumption was observed at 1000 mg/m³. The NOEL in this study was 482 mg/m³. A 21-day dermal toxicity study in rats with Pyriproxyfen Technical did not produce any signs of dermal or systemic toxicity at 1000 mg/kg/day.

CHRONIC/CARCINOGENICITY: Pyriproxyfen Technical has been tested in chronic studies with dogs, rats and mice. Dogs exposed to dose levels of 300 mg/kg/day or higher for 52 weeks showed overt clinical signs of toxicity, elevated levels of blood enzymes and liver damage. The NOEL in this study was 100 mg/kg/day. In a 78 week study in mice, dietary levels of 3000 ppm or greater produced gross and histopathological changes in the kidney. The NOEL in this study was 600 ppm. In a 2-year study in rats, dietary levels of 3000 ppm or greater produced decreased body weights in female rats. The NOEL in the rat study was 600 ppm. No oncogenic response was produced in mice or rats.

DEVELOPMENTAL TOXICITY: Tests for developmental toxicity in rats and rabbits were conducted with Pyriproxyfen Technical. In the study conducted with rats, maternal toxicity (mortality, decreased body weight gain and food consumption and clinical signs of toxicity) was observed at doses of 300 mg/kg/day and greater. The maternal NOEL was 100 mg/kg/day. A transient increase in skeletal variations was observed in rat fetuses exposed to 300 mg/kg/day and greater. The NOEL for prenatal developmental toxicity was 100 mg/kg/day. An increased incidence of visceral and skeletal variations was observed postnatally at 1000 mg/kg/day. The NOEL for postnatal developmental toxicity was 300 mg/kg/day. In the study conducted with rabbits, maternal toxicity (clinical signs of toxicity including one death, decreased body weight gain and food consumption, and abortions or premature deliveries) was observed at oral doses of 300 mg/kg/day or higher. The maternal NOEL was 100 mg/kg/day. No developmental effects were observed in the rabbit fetuses. The NOEL for developmental toxicity in rabbits was 1000 mg/kg/day.

REPRODUCTION: A dietary rat reproduction study was conducted with Pyriproxyfen Technical. Systemic toxicity (reduced body weights, histopathological changes in the liver and kidney, and increased liver weight) was produced at 5000 ppm. The systemic NOEL was 1000 ppm. No effects on reproduction were produced even at 5000 ppm, the highest dose tested.

MUTAGENICITY: Pyriproxyfen Technical was negative in the following tests for mutagenicity: Ames Assay with and without S9, unscheduled DNA synthesis in HeLa S3 cells, *in vitro* gene mutation in V79 Chinese hamster cells, and *in vitro* chromosomal aberration in Chinese hamster ovary cells.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY:

Pyriproxyfen Technical is practically non-toxic to avian species. Test results include:

Oral LD₅₀ mallard duck: greater than 2000 mg/kg
Oral LD₅₀ bobwhite quail: greater than 2000 mg/kg
Dietary LC₅₀ mallard duck: greater than 5200 ppm
Dietary LC₅₀ bobwhite quail: greater than 5200 ppm
Reproduction bobwhite quail: NOEC = 600 ppm
Reproduction mallard duck: NOEC = 600 ppm

AQUATIC ORGANISM TOXICITY: Pyriproxyfen Technical is moderately to highly toxic to fish and moderately to very highly toxic to aquatic invertebrate species. Test results include:

Freshwater species:

LC₅₀ (96 hr) Bluegill Sunfish: greater than 270 µg/L

LC₅₀ (96 hr) Rainbow Trout: greater than 325 µg/L

LC₅₀ (21 day) Rainbow Trout: 90 µg/L

LC₅₀ (96 hr) Carp: 450 µg/L

LC₅₀ (96 hr) Killifish: 2660 µg/L

EC₅₀ (48 hr) Daphnia magna: 400 µg/L

MATC (21 day) Daphnia magna: 20 ppt;

MATC (Early Life Cycle) Rainbow Trout: 5.4 µg/L

Estuarine species:

LC₅₀ (96 hr) Sheepshead Minnow: greater than 1.02 ppm;

LC₅₀ (96 hr) Mysid Shrimp: 65 ppb;

EC₅₀ (96 hr) Oyster Shell Deposition: 92 ppb.

OTHER NON-TARGET ORGANISM TOXICITY:

Pyriproxyfen Technical is practically non-toxic to bees. The acute contact LC₅₀ in bees was greater than 100 µg/bee.

OTHER ENVIRONMENTAL INFORMATION:

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters. See Directions for Use on product label for additional precautions and restrictions.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable outer bag. Do not reuse or refill the outer bag. Completely empty bag into application equipment. Offer bag for recycling if available. If recycling is not available, then dispose of empty bag in a sanitary landfill or by incinerations, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport by U.S. DOT

EMERGENCY RESPONSE

GUIDEBOOK NO.: Not applicable

ICAO/IATA SHIPPING NAME:	UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Pyriproxyfen), 9, III, Marine Pollutant
REMARKS:	•Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IATA Special Provision A197 •For US shipping, Emergency Response Guidebook No. 171
IMDG SHIPPING NAME:	UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Pyriproxyfen), 9, III, Marine Pollutant
REMARKS:	•Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IMDG 2.10.2.7 •For US shipping, Emergency Response Guidebook No. 171
EMS NO.:	F-A, S-F

15. REGULATORY INFORMATION

EPA-FIFRA LABEL INFORMATION THAT DIFFERS FROM OSHA-GHS REQUIREMENTS:

This material is a pesticide product registered by the EPA under FIFRA and is subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

EPA FIFRA SIGNAL WORD: CAUTION

- *Causes moderate eye irritation*
- *Avoid contact with eyes, skin and clothing*
- *Keep out of reach of children.*

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS: Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

SARA (311, 312):

Immediate Health:	Yes
Chronic Health:	Yes
Fire:	No
Sudden Pressure:	No
Reactivity:	No

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

REASON FOR ISSUE:	Updated information to meet OSHA Hazcom 2012 (GHS) regulations.
SDS NO.:	0223
EPA REGISTRATION NUMBER:	1021-1728-59639
REVISION NUMBER:	1
REVISION DATE:	05/26/2015
SUPERCEDES DATE:	None
RESPONSIBLE PERSON(S):	Valent U.S.A. Corporation, Corporate EH&S, (925) 256-2803

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products is regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling. All necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

The information in this SDS is based on data available to us as of the revision date given herein, and believed to be correct. Contact Valent U.S.A. Corporation to confirm if you have the most current SDS.

Judgments as to the suitability of information herein for the individual's own use or purposes are necessarily the individual's own responsibility. Although reasonable care has been taken in the preparation of such information, Valent extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the individual's purposes or the consequences of its use.

2015 Valent U.S.A. Corporation